

RECORDS RETENTION AND DISPOSITION SCHEDULE

Homeland Security, Department of. Fire and Building Safety

	Agency: Fire and Building Safety Division:				
ГЕМ	RECORD	TITLE/DESCRIPTION	RETENTION PERIOD		
1O.	SERIES	(This Retention Schedule is approved on a space-available basis)			
1	2000-32	ARSON INVESTIGATION FILES	TRANSFER to the RECORDS CENTER after five		
		Includes: reports of fire investigation, interview sheets,	(5) years in the agency. RETAIN in the		
İ		supplemental sheets, property record and receipt sheets,	RECORDS CENTER for an additional fifty (5		
		letters sent to agencies that request information, request	years. TRANSFER to the INDIANA ARCHIVES f		
		for investigations, court subpoenas, and photographs.	EVALUATION, SAMPLING or WEEDING pursuant		
		Confidential, [IC 5-14-3-4(b)(1)(2) & (6), (2000 Edition)	archival principles, at the end of		
		confidencial, (ie 3 ii 3 i(b)(i)(2) & (0), (2000 faicton)	fifty-five (55) total years of retention.		
2	2010-05	RADIATION INCIDENT REPORTS	TRANSFER to the INDIANA ARCHIVES for		
2	2010-05				
		In accordance with IC 16-41-35-1, the Radiological Health	EVALUATION, SAMPLING or WEEDING pursuant		
		Section is responsible for radiation safety and protection	archival principles, twenty (20) calendar		
		of the public. Pursuant to IC 16-41-35-25, staff may enter	years after the end of the year of the		
		at all reasonable times any public or private property for	investigation.		
		the purpose of inspecting and investigating conditions			
		related to radiation control and safety. Contacts can be			
		made via telephone calls, correspondence, e-mail or a			
İ		personal visit. A typical file may contain extensive			
		narratives, reports, correspondence or photographs.			
		Multiple contacts with the same person or group over time			
		are possible. Also possible but not typical, are referrals			
		for additional enforcement action. Disclosure of these			
		records may be subject to 10 CFR 20.2106 and IC 5-14-3-4(a)			
		(3) and (12).			
2	83-1319	FIRE SAFETY INSPECTION FILES	TRANSFER to the INDIANA ARCHIVES after		
3	83-1319				
		A) Inspections required by state statute: Includes reports	three (3) years for EVALUATION, SAMPLING,		
		of fire inspections for schools, jails, prisons,	or WEEDING pursuant to archival principle		
		fairgrounds. Religious exempt child care centers, hotels,			
		motels, hospitals, regulated places of amusement (including			
		race tracks)), child care centers, explosives magazines,			
		places of public assembly, mental/physical health			
		facilities and retail offices.			
ĺ		B) Required by Fire Marshal's policy. Includes reports of			
		fire inspections for flammable liquid storage facilities,			
İ		fireworks, private schools and colleges, complaints,			
l		manufacturing and special assignments. Pursuant to IC			
		4-31-8-5, 11-11-6-2, 12-17.2-4-14, 12-17.2-5-14,			
		16-21-1-10, 16-28-1-3, 20-5-43-1, 22-11-17-1, et seq., and			
		IC 22-14-2-11, (2000 Edition)			
4	94-32	PUBLICLY OWNED BUILDINGS	MICROFILM according to 60 IAC 2 after		
-		Within sixty (60) days after the completion of an addition	blueprints and specifications are release		
		or alteration of a publicly owned building, a complete set	DESTROY hard copies after verification of		
			_		
		of blueprints and complete bound set of specifications	microfilm for completeness and legibility		
		shall be filed in the office of the state building	TRANSFER original negative roll to the		
		commissioner. Approval shall be granted by means of an	INDIANA ARCHIVES, for permanent archival		
		application process. Publicly owned buildings shall be	retention. The agency does not need a		
		construed to include all buildings, work, or improvements	duplicate roll of microfilm.		
		the cost of which is paid for from public funds.			
		Documentation includes: blueprints and specifications,			
		Application For Construction Design Release, State Form			
		37318. The project number to each building must be placed			
		in a conspicuous place when this record is microfilmed.			
		This is a permanent record, pursuant to IC 5-16-3-1, 1998			
		Edition).			
		Retention based on IC 5-16-3-2, (1998 Edition).			
		INCCCITCION DASCU ON IC J-IU-J-Z, (1770 EUICLON).			

79-2605 INSPECTION REPORTS DESTROY after five (5) year	rs or when
Consists of a report on the condition of each boiler and replaced by another inspect	tion report,
pressure vessel regulated in the State. Inspections of whichever is later.	
boiler and pressure vessels are made at least every three	
(3) years and many are examined annually.	
2015-09 DIVISION OF FIRE AND BUILDING SAFETY DATABASE DESTROY any existing hard of	copies after
All records of DFBS inspection activities, whether entry into the database. DF	ELETE electronic
born-digital or submitted in hard copy, are collected in records after ten (10) year	
this online database.	
only online decapable.	
All records that exist only in this database have a ten	
(10) year or shorter retention requirement.	
A copy of records whose retention period exceeds ten (10)	
years may also be present for reference purposes, but the	
originals are retained separately under their own unique	
record series. The duplicate reference material may be	
deleted at any time.	
Disclosure of these records may be affected by IC 5-14-3-4	
and IC 35-47-7-3.	
2015-10 AMUSEMENT DEVICE FILE REPLACE State Form 43132, S	State Form 323,
Serves as a means in which the Department of Fire and non-destructive test report	s, insurance
Building Services registers, inspects, and issues permits certificates, accident repo	orts, and related
for all regulated amusement devices at the Indiana State correspondence annually. DE	ESTROY five (5)
Fair, at theme park locations, and traveling to various years after the amusement of	device is no
locations in Indiana. Includes State Forms: Amusement longer in service.	
Device Correction Order, SF 43132 and Application for	
Annual Permit to Operate Amusement Device, SF 323. Also	
includes non-destructive test reportswhich are completed	
by a private vendor, insurance certificates, accident	
reports, and related correspondence, pursuant to the	
statutory inspection program of IC 22-15-7-1. Retention	
based on IC 34-11-2-6.	
78-1253 STATE INSTITUTIONS-LOCATION UNITS TRANSFER original State For	rms 28645, 5675,
Serves as a means in which the Department of Fire and 38299, and 34599 to DORMANI	r LOCATION UNIT
Buildings Services registers, inspects, and issues permits FILE when the elevator is d	dormant. The
for all regulated elevators where Indiana state government original State Forms 28645,	, 5675, 38299,
has the responsibility of maintenance. Includes State Form and 34599 hard copies are r	
5675, Installation or Alteration Permit (Elevator Safety permanently until the elevator	
Division); Application for Installation or Alteration The original State Form 399	
Permit, State Form 38299, State Form 39999; Operating the agency but is not retain	_
Permit, Division of Elevator Safety, State Form 34599; agency. State Forms 34599 a	_
Report of Tests for Elevators, Dumbwaiters, Escalators and replaced annually or every	
Special Purpose Elevators; and State Form 28645, Report of DESTROY general corresponde	· · · · ·
Inspection-Invoice. May also include general correspondence (5) years.	31100 011001 1110
pursuant to the statutory inspection program of IC	
22-15-5-1, et seq, 1998 Edition. Retention based on IC	
34-11-2-6, (1998 Edition)	
78-1254 BUILDING LOCATION UNIT TRANSFER original State For	rms 28645 38299
Serves as a means in which the Department of Fire and and 34599 to DORMANT LOCATI	
Building Services registers, inspects, and issues permits when the elevator is dorman	
for all regulated elevators that are non-residential yet State Forms 28645, 5675, 38	
Ipublic in nature. Typical file includes State Form Number. I hard copies are retained or	
public in nature. Typical file includes State Form Number hard copies are retained or	
5675, Installation or Alteration Permit (Elevator Safety permanently until the eleva	ator is dormant.
5675, Installation or Alteration Permit (Elevator Safety Division), Application for Installation or Alteration The original State Form 399	ator is dormant. 1999 is issued by
5675, Installation or Alteration Permit (Elevator Safety Division), Application for Installation or Alteration Permit, State Form 38299; State Form 34599, Report of Tests The original State Form 399 the agency but is not retain	ator is dormant. 1999 is issued by ined by the
5675, Installation or Alteration Permit (Elevator Safety Division), Application for Installation or Alteration Permit, State Form 38299; State Form 34599, Report of Tests for Elevators, Dumbwaiters, Escalators and Special Purpose permanently until the elevators of Tests the agency but is not retain agency. State Forms 34599 agency.	ator is dormant. 1999 is issued by ined by the and 28645 are
5675, Installation or Alteration Permit (Elevator Safety Division), Application for Installation or Alteration Permit, State Form 38299; State Form 34599, Report of Tests for Elevators, Dumbwaiters, Escalators and Special Purpose Elevators; and State Form 28645, Report of The original State Form 399 the agency but is not retain agency. State Forms 34599 agency. State Forms 34599 agency.	ator is dormant. 1999 is issued by ined by the and 28645 are five (5) years.
5675, Installation or Alteration Permit (Elevator Safety Division), Application for Installation or Alteration Permit, State Form 38299; State Form 34599, Report of Tests for Elevators, Dumbwaiters, Escalators and Special Purpose Elevators; and State Form 28645, Report of Inspection-Invoice. May also include general permanently until the elevators are	ator is dormant. 1999 is issued by ined by the and 28645 are five (5) years.
5675, Installation or Alteration Permit (Elevator Safety Division), Application for Installation or Alteration Permit, State Form 38299; State Form 34599, Report of Tests for Elevators, Dumbwaiters, Escalators and Special Purpose Elevators; and State Form 28645, Report of Inspection—Invoice. May also include general correspondence, pursuant to the statutory inspection permanently until the elevators of The original State Form 399 and the agency but is not retain agency. State Forms 34599 are replaced annually or every DESTROY general correspondence (5) years.	ator is dormant. 1999 is issued by ined by the and 28645 are five (5) years.
5675, Installation or Alteration Permit (Elevator Safety Division), Application for Installation or Alteration Permit, State Form 38299; State Form 34599, Report of Tests for Elevators, Dumbwaiters, Escalators and Special Purpose Elevators; and State Form 28645, Report of Inspection-Invoice. May also include general permanently until the elevators are	ator is dormant. 1999 is issued by ined by the and 28645 are five (5) years.

4 0 1	70 1055	DODANA TOGRADOV INTER	DECEMBON - St (5)
10	78-1256	DORMANT LOCATION UNIT FILES	DESTROY after five (5) years.
		All inoperable elevators. Retention based on IC 34-11-2-6,	
11	78-1260	(1998 Edition)/	DECEMBON of the size (6) where
		ACCIDENT REPORTS	DESTROY after six (6) years.
	78-1261	BLUEPRINTS AND SPECIFICATIONS FOR NEW ELEVATORS OR ALTERATIONS OF ELEVATORS	TRANSFER to the RECORDS CENTER after five (5) years. DESTROY after an additional five (5) years in the RECORDS CENTER. TOTAL RETENTIONten (10) years.
13	79-2220	MANUFACTURING FIRMS NO LONGER IN BUSINESS	TRANSFER to the RECORDS CENTER after one
		Files of manufacturing firms that once constructed manufactured buildings but have since gone out of business. Required for consumer complaints.	(1) year. DESTROY after five (5) years. TOTAL RETENTIONSix (6) years.
14	79-2225	RECORD OF DATA PLATES - HARD COPIES	DESTROY when outdated or replaced.
		Record of data plates of building manufacturers. Retention period is based on expected life of manufactured homes that have not been altered from factory specifications by their owners.	
15	79-2228	PLANS, SPECIFICATIONS, CERTIFICATES AND COMPUTER DISKS	TRANSFER to the RECORDS CENTER after three
		Drawings and specifications regarding manufactured buildings as well as certifictes of manufacturers' compliance with building codes. The computer disk is sent to the agency by means of the manufacturing firms. The computer disk is IBM compatible and the only users are the agency's staff. The computer disk does not leave the office and is DESTROYED when changes occur in the drawings and specifications and a new computer disk is sent.	(3) years. DESTROY after an additional two (2) years in the RECORDS CENTER. TOTAL RETENTION: Five (5) years
16	79-2592	BOARD CASES	DESTROY when the boiler or pressure vessel
		The Boiler and Pressure Vessel Board is empowered to approve modifications or special construction requests that do not conform with established standards. The requests are known as "Indiana Specials". Series consists of diagrams, specifications, and cover letters.	is scrapped.
17	79-2594	INSPECTOR LICENSES, SF 54684 Licenses issued to individuals qualified to be inspectors.	DESTROY when replaced by a new license or when the individual is no longer an inspector.
18	79-2604	CERTIFICATE OF INSPECTION Certificates issued to owners of pressure vessels and boilers after they have been approved.	DESTROY when certificate is replaced by a new certificate and after receipt of STATE BOARD OF ACCOUNTS Audit Report and satisfaction of unsettled charges.
19	82-315	PROTOTYPE MASTER FILES Master plan design releases may be issued by the office of the State Building Commissioner with the approval of the office of the State Fire Marshal. Approval is granted by means of an application process. Master plan means a set of plans and specifications for Class 1 structures the scope of which includes only the structural framing and shell enclosures.	DESTROY hard copies when the State Building Commissioner determines that because of changes in the Indiana Building Code the plans and specifications may no longer comply with the rules of the Fire Prevention and Building Safety Commission.
		The purpose of a master plan design release is to simplify the use of the same design for more than one Class 1 structure by eliminating repetitive filing and review of plans and specifications within the scope of the master plan. Class 1 structures are: buildings or structures that are to be used by the public, three (3) or more tenants, one (1) or more persons who act as the employees of another. Documentation includes: plans, specifications, and Application For Construction Design Release; State form 37318, Pursuant to 675 IAC 12-6-16, 2000 Cumulative Supplement.	
20	82-323	APPLICATION FOR CONSTRUCTION DOCUMENT REVIEW AND FOOTING & FOUNDATION FORMS File consists of individual building projects, project data, and processing data.	RETAIN current year and two (2) past years' applications and forms within STATE FIRE AND BUILDING SERVICES. DESTROY after three (3) years.

21	84-534	MONTHLY REPORTING BY LOCAL FIRE CHIEFS	DESTROY after one (1) year.	
21	04-334	Statistical reports required to be submitted to the State	DESIROI alter one (1) year.	
		Fire Marshal.		
22	87-494	WELDED REPAIR REPORT FORMS	DESTROY after five (5) years.	
22	07 151	Reports made by inspectors indicating repairs have been	DEDIROT ALCCI TIVE (3) YEARS.	
		made in accordance with established rules.		
23	94-33	PUBLICLY OWNED BUILDINGS-ELECTRONIC INDEX	TRANSFER data about the microfilm record of	
23	74-33	This electronic record will serve as an index for the	publicly owned buildings in an ASCII format	
		microfilm record of publicly owned buildings within the	1 -	
			to the INDIANA ARCHIVES when the blueprints	
		state of Indiana. This electronic record will compose of	and specifications are released. Once the data arrives at the Indiana Archives, the	
		the following information: project number, name of project,	data will be translated into a format	
		month and year project was filed with the agency, town and		
		county of project, and designer and/or owner of the	compatible with its software and hardware.	
		project, pursuant to IC 5-16-3-1, (1998 Edition).	The data is permanent and will not be	
		Detertion based on TG F 16 2 2 (1000 Edition)	altered in any fashion.	
0.4	94-36	Retention based on IC 5-16-3-2, (1998 Edition).	DEGEDON of the second date of the second date of	
24	94-36	LOCAL ORDINANCES	DESTROY when outdated or replaced.	
		One (1) signed copy of each approved local ordinance is		
		retained by the Fire Prevention and Building Safety		
		Commission. Ordinances to be approved are placed on the		
		agenda for Fire Prevention and Building Safety Commission		
		meetings. Ordinances are arranged alphabetically by county,		
		by city, and town within the county. Some correspondence		
0.5	04.37	could be included with these records. WRITTEN INTERPRETATIONS OF BUILDING LAWS	MDANGEED to the TYDIANA ADGULLAGE	
25	94-37		TRANSFER to the INDIANA ARCHIVES for	
		In accordance with IC 22-13-5-2, the Building Law	EVALUATION, SAMPLING, OR WEEDING pursuant	
		Compliance Officer may issue a written interpretation of a	to archival principles when outdated or	
		building law upon the written request of an interested	replaced.	
		person. Pursuant to IC 22-13-5-1, this refers to a person		
		that has a dispute with a county or a municipality		
		regarding the interpretation of a building law. This		
		interpretation is binding if the written interpretation is		
		published in the Indiana Register (IC 22-13-5-4). This		
		written interpretation of building law published in the		
		Indiana Register binds all counties and municipalities		
		until the earlier of the following: (1) The General		
		Assembly enacts a statute that substantively changes the		
		building law interpreted or voids the written		
		interpretation. (2) The Fire Prevention and Building Safety Commission adopts a rule under IC 4-22-2 to state a		
		-		
		different interpretation of the building law. (3) The		
		written interpretation is found to be an erroneous		
		interpretation of the building law in a judicial		
		proceeding. (4) The Building Law Compliance Officer		
		publishes a different interpretation of the building law. Retention based on IC 22-13-5-4.		
2.6	05.00		DEGEDOV - St (10)	
26	95-29	HAZARDOUS MATERIALS INCIDENT LOCATION FILES	DESTROY after ten (10) years.	
		Includes the log sheets for the hazardous material		
0.77	05.20	responses.	TDANGEED one (1) seems to the TANGERS	
21	95-30	HAZARDOUS MATERIALS FIELD REPORT	TRANSFER one (1) copy to the INDIANA	
		Includes the Office of the Fire Marshal field report,	ARCHIVES for EVALUATION, SAMPLING or	
		material safety data sheets, field reports from other state	WEEDING pursuant to archival principles,	
20	2012 16	agencies and exposure logs.	after ten (10) years.	
۷8	2013-16	TIER ONE/TWO EMERGENCY & HAZARDOUS CHEMICAL INVENTORY (LEPC	DESTROY after one (1) year or when replaced	
		COPY) Dor 42 USC 11022 facilities submit three series of an	by a new inventory from the same facility, whichever is later.	
		Per 42 USC 11022, facilities submit three copies of an	whichever is later.	
		emergency and hazardous chemical inventory form annually,		
		as long as hazardous chemicals remain in use. One copy is		
		submitted to the Indiana Department of Environmental		
		Management (retained permanently under Record Series		
		93-45), one to the local fire department, and one to the		
		area's Local Emergency Planning Committee. Disclosure of		
		this record may be affected by 42 USC 11042. Retention		
		based on 42 USC 11022 (e)(3).		
		Approved by the Indiana Oversight Committee on Pu	blic Records	
	Approved by the Indiana Oversight Committee on Public Records			

201	04 24	VARIANCE ARRIVATION BILEG	DECEMBON of the second (7) and and a second and
29	94-34	VARIANCE APPLICATION FILES	DESTROY after seven (7) calendar years and
		A variance of the rules of the Fire Prevention and Building	after receipt of STATE BOARD OF ACCOUNTS
		Safety Commission may be granted by the Commission in	Audit Report and satisfaction of unsettled
		accordance with Indiana Code 22-13-2-11. The application	charges.
		file contains the variance application (State Form 37318)	
2.0	00 101	and other information required pursuant to 675 IAC 12-5.	DECEMBER 15
30	88-101	AMBULANCE SERVICE PROVIDERS FILE	DESTROY after seven (7) years.
		Files may include annual applications, paramedic	
		applications, vehicle certification, correspondence,	
		provider certification, ambulance and equipment checklist,	
		and certificate of insurance. Certificates are now mailed	
		to the provider and copies are no longer kept in the files.	
		[Record Series history note: prior to 2015, retention	
		instructions included microfilming with a security copy	
		sent to the INDIANA ARCHIVES.]	
31	88-102	TRAINING INSTITUTIONS FILE	DESTROY after six (6) years.
		A typical file includes applications, renewal applications,	
		approvals and correspondence.	
		[Record Series history note: prior to 2015, retention	
		instructions included microfilming with a security copy	
		sent to the INDIANA ARCHIVES.]	
32	88-103	SUPERVISING HOSPITALS FILE	DESTROY after six (6) years.
		File includes Applications for Certification as a	
		Supervising Hospital, Application for Institutional	
		Approval to Administer Emergency Paramedic Training	
		Program, Application for Certification as a Sponsoring	
		Hospital, Application for Certification as a Supervising	
		Hospital (Paramedic), and correspondence.	
		[Daniel Goden bishess acts to 2015	
		[Record Series history note: prior to 2015, retention	
		instructions included microfilming with a security copy	
2.2	05.40	sent to the INDIANA ARCHIVES.]	
33	95-49	INDEX CARDS-ACTIVE, RETIRED & DECEASED CERTIFIED	DESTROY when information is verified
		FIREFIGHTERS	against the IDENTIFICATION DATA AND
		These alphabetical index cards contain basic information on	PROGRESS RECORD.
		the firefighter but are not as complete as the	
		Identification Data and Progress Record. Firefighter name,	
		department and basic certification data is recorded on the	
34	2015-19	index cards. PUBLIC SAFETY PERSONNEL DATA	TRANSFER hard copies to the INDIANA
		This consists of Emergency Medical Technician and	ARCHIVES for EVALUATION, SAMPLING and
		Firefighter certification, personnel, and training records.	WEEDING pursuant to archival principles
		Unless regulatory sanctions (which can last a maximum of 7	immediately after entry into database. For
		years) have been imposed, each record becomes superseded by	undigitized backfile, TRANSFER to the
		the next two-year certification cycle. All current and	INDIANA ARCHIVES for EVALUATION, SAMPLING
		future records will exist in the ACADIS database, except	and WEEDING pursuant to archival principles
		for any backfile of hard copies whose retention period	after four (4) years or the expiration of
		expires before entry. Expungement of any records of	any imposed sanctions, whichever is later.
		sanction or investigation may be requested under the	DELETE electronic records after four (4)
		conditions of IC 35-38-9. Disclosure of these records may	years or the expiration of any imposed
		Conditions of it 33-30-9. Disclosure of these records may	
		be affected by IC 4-1-8-1 and IC 35-38-8.	sanctions, whichever is later.

35	79-3664	RADIOACTIVE MATERIAL REGISTRATION PROGRAM	IMAGE any hard-copy records according to
		This record typically includes a radioactive material	IARA imaging standards, and RETAIN all
		registration application, correspondence, copies of U.S.	electronic files within the Indiana
		Nuclear Regulatory Commission (NRC) licenses, violation	Professional Licensing Agency's License
		letters, compliance letters, notification of	2000 system, per cross-agency agreement.
		misadministration, and notification of employee	DESTROY hard copies after verification of
		overexposure. The registration renewal period is two (2)	electronic records for completeness and
		years.	legibility. MAINTAIN two (2) registration
			applications and supporting documents at
			all times; DELETE the oldest application
			and supporting documents when a new report
			is received. DELETE all related records
			seven (7) years after a facility is
			determined to no longer be in business.